

Tabla 1. Especies de Scarabaeidae 'Pleurosticti' presentes en los departamentos de Boyacá (Boy.), Cundinamarca (Cun.) y Santander (San.).

Especie	Boy.	Cun.	San.	Colección	Referencias
CETONIINAE					
Cetoniinae					
<i>Euphoria abreona</i> Janson, 1878	x		x	MPUJ, UPTC	OROZCO (2012)
<i>Euphoria hera</i> Burmeister, 1842	x	x	x	ICN, UPTC	SUÁREZ-G. & AMAT-GARCÍA (2007)
Cremastocheilini					
<i>Cyclidius elongatus</i> (Olivier, 1879)	x			ICN	
<i>Genuchinus muzo</i> Krikken, 1981	x				KRIKKEN (1981)
Gymnetini					
<i>Amithao decemguttatus</i> (Watherhouse, 1876)	x	x	x	ICN	RATCLIFFE (2013a)
<i>Amithao lafertei</i> (Thomson, 1860)		x			SUÁREZ-G. & AMAT-GARCÍA (2007)
<i>Argyripa lansbergei</i> Salle, 1857	x	x	x	ICN	SUÁREZ-G. & AMAT-GARCÍA (2007)
<i>Cotinis columbica</i> Burmeister, 1842		x		ICN	SUÁREZ-G. & AMAT-GARCÍA (2007)
<i>Cotinis lebasii</i> Gory & Percheron, 1833	x			ICN	
<i>Desicasta reichei</i> (Thomson, 1860)	x	x	x		RATCLIFFE (2013b)
<i>Gymnetis coturnix</i> Burmeister, 1842	x	x	x	ICN	SUÁREZ-G. & AMAT-GARCÍA (2007)
<i>Gymnetis holosericea</i> (Voet, 1779)			x	ICN	SUÁREZ-G. & AMAT-GARCÍA (2007)
<i>Gymnetis pantherina</i> (Burmeister, 1843)	x	x	x	ICN; MPUJ; UPTC	
<i>Gymnetis stellata</i> (Latreille, 1833)		x		ICN	SUÁREZ-G. & AMAT-GARCÍA (2007)
<i>Hoplopyga liturata</i> (Olivier, 1789)	x	x	x	ICN	
<i>Marmarina maculosa</i> (Olivier, 1789)		x		ICN	SUÁREZ-G. & AMAT-GARCÍA (2007)
DYNASTINAE					
Agaocephalini					
<i>Aegopsis curviformis</i> Burmeister, 1847	x	x		ICN	
<i>Lycomedes reichei</i> Brême, 1944	x		x	ICN; UPTC	
Cyclocephalini					
<i>Ancognatha lutea</i> Erichson, 1847	x	x	x	ICN; UPTC	

Especie	Boy.	Cun.	San.	Colección	Referencias
<i>Ancognatha scarabeoides</i> Erichson, 1847	x	x	x	ICN; MPUJ; UPTC	
<i>Ancognatha ustulata</i> Burmeister, 1847	x	x		ICN; MPUJ; UPTC	
<i>Ancognatha vulgaris</i> (Arrow, 1911)	x	x	x	ICN	
<i>Aspidolea brunnea</i> Höhne, 1922		x			ENDRÖDI (1966)
<i>Aspidolea cognata</i> Höhne, 1922	x	x			ENDRÖDI (1966)
<i>Aspidolea fulginea</i> Burmeister, 1847		x			ENDRÖDI (1966)
<i>Aspidolea notaticollis</i> Höhne, 1922		x			ENDRÖDI (1966)
<i>Aspidolea singularis</i> Bates, 1888	x	x	x	ICN	
<i>Cyclocephala amazona</i> (Linnaeus, 1767)	x	x	x	ICN; MPUJ	
<i>Cyclocephala brevis</i> Höhne, 1923		x	x	ICN	
<i>Cyclocephala brittoni</i> Endrödi, 1964	x	x	x	ICN	
<i>Cyclocephala carbonaria</i> Arrow, 1911	x	x		ICN	ENDRÖDI (1966)
<i>Cyclocephala aepistomalis</i> Bates, 1888		x		ICN	
<i>Cyclocephala fulgurata</i> Burmeister, 1847	x	x	x	ICN; UPTC	
<i>Cyclocephala gravis</i> Bates, 1888			x	ICN	
<i>Cyclocephala gregaria</i> Heyne&Taschenberg, 1907	x		x	ICN	ENDRÖDI (1966)
<i>Cyclocephala isabellina</i> Höhne, 1923		x			ENDRÖDI (1966)
<i>Cyclocephala kuntzeniana</i> Höhne, 1923		x			ENDRÖDI (1966)
<i>Cyclocephala ligyrina</i> Bates, 1888	x				ENDRÖDI (1966)
<i>Cyclocephala longa</i> Endrödi, 1963		x		ICN	
<i>Cyclocephala lunulata</i> Burmeister, 1847			x	ICN	
<i>Cyclocephala maffia</i> Burmeister, 1847	x			ICN	
<i>Cyclocephala melanocephala</i> (Fabricius, 1775)	x	x	x	ICN	
<i>Cyclocephala monacha</i> Ratcliffe, 2008	x			ICN	
<i>Cyclocephala munda</i> Kirsch, 1870	x	x			ENDRÖDI (1966)
<i>Cyclocephala nigrobasalis</i> Höhne, 1923		x			ENDRÖDI (1966)
<i>Cyclocephala ovulum</i> Bates, 1888		x		ICN	
<i>Cyclocephala prelli</i> Endrödi, 1967			x	ICN	
<i>Cyclocephala ruficollis</i> Burmeister, 1847		x	x		ENDRÖDI (1966)
<i>Cyclocephala rustica</i> Olivier, 1789		x		ICN	

Especie	Boy.	Cun.	San.	Colección	Referencias
<i>Cyclocephala sexpunctata</i> Laporte, 1840	x	x	x	ICN; UPTC	
<i>Cyclocephala spilopyga</i> Erichson, 1847			x	ICN	
<i>Cyclocephala testacea</i> Burmeister, 1847		x			ENDRÖDI (1966)
<i>Cyclocephala tutilina</i> Burmeister, 1847			x	ICN	
<i>Cyclocephala variabilis</i> Burmeister, 1847	x				ENDRÖDI (1966)
<i>Cyclocephala vittoscutellaris</i> Prell, 1937	x				ENDRÖDI (1966)
<i>Cyclocephala weidneri</i> Endrödi, 1964		x			ENDRÖDI (1966)
<i>Dyscinetus dubius</i> (Olivier, 1789)	x	x	x	ICN	
<i>Dyscinetus olivaceus</i> Höhne, 1923	x		x	ICN; UPTC	
<i>Stenocrates bicarinatus</i> Robinson, 1947			x	ICN	
<i>Stenocrates cognatus</i> Endrödi, 1966		x			ENDRÖDI (1966)
<i>Stenocrates laevicollis</i> Kirsch, 1870	x	x	x	ICN	ENDRÖDI (1966)
<i>Stenocrates omissus</i> Endrödi, 1966		x			ENDRÖDI (1966)
Dynastini					
<i>Dynastes hercules</i> (Linnaeus, 1758)	x		x	ICN	
<i>Dynastes neptunus</i> Quensel, 1805	x			ICN	
<i>Golofa porteri</i> (Hope, 1837)	x	x		UPTC	
Oryctini					
<i>Coelosis bicornis</i> (Leske, 1779)		x	x		SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Coelosis biloba</i> (Linnaeus, 1767)	x		x	UPTC	
<i>Enema pan</i> (Fabricius, 1775)	x	x	x	UPTC	
<i>Heterogomphus chevrolati</i> Burmeister, 1847	x	x	x	UPTC	SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Heterogomphus dilaticollis</i> Burmeister, 1847	x	x	x	UPTC	
<i>Heterogomphus mniszenchi</i> (Thomson, 1859)			x		SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Heterogomphus rugicollis</i> Prell, 1912		x	x		SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Heterogomphus schoenherri</i> Burmeister, 1847	x	x	x	UPTC	
<i>Heterogomphus ulysses</i> Burmeister, 1847	x				SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Megaceras morpheus</i> Burmeister, 1847	x	x	x	UPTC	
<i>Megaceras septentrionis</i> Bates, 1888		x			SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Podischnus agenor</i> (Olivier, 1789)	x	x	x	ICN	

Especie	Boy.	Cun.	San.	Colección	Referencias
<i>Podischnus oberthueri</i> Sternberg, 1907	x	x			SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Podischnus sexdentatus</i> (Taschenberg, 1870)	x	x	x		SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Strategus fascinus</i> Burmeister, 1847	x		x	ICN	SANABRIA-GARCÍA <i>et al.</i> (2012)
<i>Strategus jugurtha</i> Burmeister, 1847		x	x	ICN	SANABRIA-GARCÍA <i>et al.</i> (2012)
Pentodontini					
<i>Bothynus complanus</i> (Burmeister, 1847)	x	x		ICN	LÓPEZ-GARCÍA (2014)
<i>Bothynus herbivorus</i> (Arrow, 1937)		x		ICN; MPUJ	LÓPEZ-GARCÍA (2014)
<i>Bothynus quadridens</i> (Taschenberg, 1870)	x		x	ICN	LÓPEZ-GARCÍA (2014)
<i>Euetheola bidentata</i> (Burmeister, 1847)	x	x	x	ICN; MPUJ; UPTC	LÓPEZ-GARCÍA (2014)
<i>Parapucaya amazonica</i> Prell, 1934		x		ICN	LÓPEZ-GARCÍA (2014)
<i>Pucaya castanea</i> Ohaus, 1910	x		x	ICN	LÓPEZ-GARCÍA (2014)
<i>Pucaya pulchra</i> Arrow, 1911		x	x	ICN; MPUJ; CFGA	LÓPEZ-GARCÍA (2014)
<i>Tomarus bituberculatus</i> (Palisot de Beauvois, 1811)	x	x	x	ICN	LÓPEZ-GARCÍA (2014)
<i>Tomarus ebenus</i> (De Geer, 1774)		x		ICN	LÓPEZ-GARCÍA (2014)
<i>Tomarus gyas</i> Erichson, 1848	x		x	ICN	LÓPEZ-GARCÍA (2014)
<i>Tomarus maternus</i> (Prell, 1937)		x		ICN	LÓPEZ-GARCÍA (2014)
Phileurini					
<i>Archophileurus elatus</i> Prell, 1914			x	ICN	
<i>Hemiphileurus cornutus</i> Ratcliffe, 2014	x	x		ICN	RATCLIFFE (2014)
<i>Hemiphileurus laticollis</i> Burmeister, 1847		x		ICN	
<i>Hemiphileurus rugulosus</i> Endrödi, 1978		x			ENDRÖDI (1978)
<i>Hemiphileurus vicarius</i> Prell, 1936	x				ENDRÖDI (1966)
<i>Homophileurus quadrituberculatus</i> (Palisot de Beauvois, 1806)			x	ICN	
<i>Phileurus angustatus</i> Kolbe, 1910	x				ENDRÖDI (1966)
<i>Phileurus dydimus</i> Linneaus, 1758		x	x	ICN	
MELOLONTHINAE					
Macroductylini					
<i>Ancistrosoma rufipens</i> (Latreille, 1833)		x		ICN	
<i>Ceraspis innotata</i> Blanchard, 1850		x		ICN	
<i>Ceraspis quadripustulata</i> (Blanchard, 1850)	x			UPTC	
<i>Clavipalpus ursinus</i> Blanchard, 1850	x			CFGA; UPTC	
<i>Isonychus podicalis</i> Moser, 1918			x	ICN	

Especie	Boy.	Cun.	San.	Colección	Referencias
<i>Isonychus maculatus</i> Waterhouse, 1874	x			UPTC	
<i>Macroductylus sulphureus</i> Blanchard, 1850	x			CFGA; UPTC	
<i>Manopus biguttatus</i> Laporte, 1840	x	x	x	ICN; UPTC	
Melolonthini					
<i>Phyllophaga (Phyllophaga) brevisetosa</i> (Moser, 1918)			x	ICN	
<i>Phyllophaga (Phyllophaga) impressipygga</i> (Frey, 1975)		x			VALLEJO & WOLFF (2013)
<i>Phyllophaga (Phytalus) luridipennis</i> (Moser, 1918)	x				VALLEJO & WOLFF (2013)
<i>Phyllophaga (s.str.) veelezangeli</i> Morón & Neita, 2014	x				MORÓN & NEITA-MORENO (2014)
<i>Phyllophaga obsoleta</i> (Blanchard, 1850)	x	x		ICN; UPTC	VALLEJO & WOLFF (2013)
RUTELINAE					
Anomalini					
<i>Callistethus caucanus</i> (Ohaus, 1897)	x	x		ICN; UPTC	
<i>Paranomala undulata</i> (Melsheimer, 1844)		x		ICN	
<i>Paranomala cincta</i> Say, 1835	x	x		ICN	
Anoplognathini					
<i>Platycoelia flavostriata</i> (Latreille, 1813)	x	x			SMITH (2003)
<i>Platycoelia helleri</i> (Ohaus, 1904)		x			SMITH (2003)
<i>Platycoelia marginata</i> Burmeister, 1844	x	x		ICN	
<i>Platycoelia nervosa</i> Kirsch, 1871	x	x			SMITH (2003)
<i>Platycoelia nigrosteralis</i> Ohaus, 1904		x			SMITH (2003)
<i>Platycoelia puncticollis</i> Ohaus, 1904	x	x		MPUJ	SMITH (2003)
<i>Platycoelia quadrilineata</i> Burmeister, 1844		x			SMITH (2003)
<i>Platycoelias ignaticollis</i> (Burmeister, 1844)	x	x		MPUJ	SMITH (2003)
<i>Platycoelia valida</i> Burmeister, 1844	x	x	x	ICN; UPTC	SMITH (2003)
<i>Platycoelia variolosa</i> Ohaus, 1904	x	x			SMITH (2003)
<i>Platycoelia wallisi</i> Ohaus 1904		x			SMITH (2003)
Geniatiini					
<i>Leucothyreus femoratus</i> Burmeister, 1844	x	x	x	ICN, MPUJ	
Rutelini					
<i>Areoda leachi</i> MacLeay, 1819		x		ICN	
<i>Chlorota meridionalis</i> Ohaus, 1912		x	x	ICN	

Especie	Boy.	Cun.	San.	Colección	Referencias
<i>Chrysophora chrysoclor</i> (Latreille, 1811)	x	x	x	ICN; UPTC	
<i>Hypaspidi</i> <i>similis</i> Ohaus, 1972			x	ICN	
<i>Lagochile sparsa</i> Chaus, 1903		x	x	ICN	
<i>Lasiocala fulvohirta</i> Blanchard, 1850	x	x		ICN; MPUJ	
<i>Lasiocala lucens</i> Ohaus, 1908	x			UPTC	
<i>Macraspis bouchardi</i> Soula, 1998	x				SOULA (1998)
<i>Macraspis chrysis</i> (Linné, 1764)	x	x	x	ICN	
<i>Macraspis jamesi</i> Soula, 1998	x	x			SOULA (1998)
<i>Macraspis melanaria</i> (Blanchard 1850)		x	x	ICN	
<i>Pelidnota xanthopyga</i> Hardy, 1975			x	ICN	
<i>Pelidnota chibchana</i> Ohaus, 1922		x	x	ICN	
<i>Pelidnota osculatii</i> Guérin, 1855	x			ICN, UPTC	
<i>Pelidnota parallela</i> Hardy, 1875			x	ICN	
<i>Pelidnota polita</i> Latreille 1811	x	x		ICN	
<i>Pelidnota prasina</i> Burmeister 1844	x	x	x	ICN; MPUJ	
<i>Pelidnota rubriventris</i> Blanchard, 1851	x			MPUJ	
<i>Rutela laeta</i> (Weber 1801)		x		ICN	
<i>Rutela vetula</i> Ohaus, 1913	x	x		ICN	
Spodochlamyni					
<i>Spodochlamys cupreola</i> Bates, 1888	x	x		UPTC	
ORPHNINAE					
<i>Aegidium colombianum</i> Westwood, 1846			x	ICN, CFGA	