

Cuadro 2 a
Frecuencias alélicas de 19 STRs en una muestra poblacional de Bucaramanga, Santander, Colombia

Alelo	D3S1358	TH01	D13S317	D7S820	D16S539	CSF1PO	VWA	D8S1179	TPOX
2.2	–	–	–	–	–	–	–	–	–
3	–	–	–	–	–	–	–	–	–
4	–	–	–	–	–	–	–	–	–
5	–	–	–	–	–	–	–	–	–
6	–	–	–	–	–	–	–	–	0,004
7	–	–	–	0,013	–	0,001	–	–	–
8	–	–	0,097	0,106	0,011	0,009	–	0,01	0,487
9	–	–	0,134	0,086	0,136	0,024	–	0,003	0,069
9.3	–	0,171	–	–	–	–	–	–	–
10	–	0,001	0,053	0,271	0,187	0,217	–	0,057	0,041
11	–	0,414	0,231	0,246	0,279	0,289	–	0,096	0,307
12	0,001	0,190	0,29	0,246	0,230	0,401	–	0,137	0,087
13	0,003	0,089	0,126	0,027	0,136	0,054	0,003	0,321	0,004
14	0,081	0,134	0,066	0,006	0,021	0,003	0,091	0,246	–
15	0,36	–	0,003	–	–	0,001	0,076	0,103	–
16	0,269	–	–	–	–	–	0,331	0,026	–
17	0,154	–	–	–	–	–	0,287	0,001	–
18	0,129	–	–	–	–	–	0,166	–	–
19	0,003	–	–	–	–	–	0,044	–	–
20	–	–	–	–	–	–	0,001	–	–
21	–	–	–	–	–	–	–	–	–
22	–	–	–	–	–	–	–	–	–
22.2	–	–	–	–	–	–	–	–	–
23	–	–	–	–	–	–	–	–	–
24	–	–	–	–	–	–	–	–	–
25	–	–	–	–	–	–	–	–	–
26	–	–	–	–	–	–	–	–	–
27	–	–	–	–	–	–	–	–	–
28	–	–	–	–	–	–	–	–	–
29	–	–	–	–	–	–	–	–	–

Cuadro 2 a
Frecuencias alélicas de 19 STRs en una muestra poblacional de Bucaramanga, Santander, Colombia
 (continuación)

Alelo	D3S1358	THO1	D13S317	D7S820	D16S539	CSF1PO	VWA	D8S1179	TPOX
29.2	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-
30.2	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-
31.2	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-	-
32.2	-	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-	-
33.2	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-
34.2	-	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-	-
Ho	0.757	0.711	0.791	0.760	0.829	0.666	0.774	0.806	0.663
He	0.752	0.738	0.813	0.787	0.798	0.706	0.765	0.795	0.655
P	0.509	0.378	0.189	0.356	0.323	0.572	0.390	0.513	0.961